BATTERY TP™

Battery Terminal Protector Spray
Technical Information

Battery TP is a battery maintenance spray packaged in a handy aerosol dispenser.

Battery TP is a blend of solvent refined mineral oils, thickeners and an acid sensitive dye with non-ozone degrading propellants.
The product provides a long lasting non-permanent barrier coating that helps protect battery terminals from oxidation and corrosion.

Primary features attributable to Battery TP are:

- Long lasting;
- Effective protection;
- Indicates presence of acid residues that can corrode metal terminals;
- Reduces need for battery maintenance and likelihood of electrical failures;
- Ozone friendly packaging.

Applications

Battery TP effectively protects acid battery terminals from corrosion from battery acid and exhaust gases.

Battery TP contains an acid sensitive dye that alerts users to the presence of corrosive agents and affords protection to the battery point until remedial action can be undertaken.

Compatibility

Battery TP is safe to use on automotive materials and will not affect paints or coatings.

Certificate No. GB06/69741

Safer
Solutions
For Industry

© Amity Ltd 2003-15, All Rights Reserved

Issue: 28 May 2015

Health and Safety

Battery TP is not classed as hazardous and possesses a low order of toxicity, however it is flammable.
The pressurised container should not be punctured or exposed to temperatures in excess of 50 °C.

See Safety Data Sheet for details.

Typical Properties

Appearance	Aerosol spray, thick green gel
Odour	Low
Solubility	Insoluble
Flash Point (Abel closed cup, °C)	< -40 (aerosol propellant)
Density, g/cm^3 at 20 °C	0.80 (can contents)

Battery TP has a shelf life of not less than 24 months when stored upright under clean dry conditions, in original containers between 5ºC and 35ºC.

Directions for Use

Application:

Shake can before use to evenly distribute the contents.

Spray an even coating lightly over battery terminals.
Allow carrier solvents to evaporate before fitment of any protective caps etc. to the battery.

CONTACT DETAILS:

For UK and Rest of the World:

Amity International,
Libra House, West Street
Worsbrough Dale,
BARNSLEY
S YORKS, S70 5PG,
ENGLAND

Tel: +44 (0) 1226 770787
Fax: +44 (0) 1226 770757

For North America:

Amity International,
PO Box 5254,
1704 Denver Road,
ANDERSON,
SOUTH CAROLINA,
SC29623, USA.

Tel: 864 622 2233
Fax: 864 622 2234

E-mail: sales@amityinternational.com
Web site: www.amityinternational.com

For any further information, please contact your distributor or Amity.

In the event of any technical queries, please contact:
Mr. Ram Singh at the UK/ROW address, above, or by e-mail to:

rsingh@amityinternational.com

Packaging Details:

Battery TP is available in:

- 400 ml aerosol containers.