



CLEARWAY™

Alkaline Drain Cleaner Technical Information

Clearway is an ultra powerful inhibited caustic based cleaner designed to remove blockages and clean the heaviest contamination from drains.

Primary features attributable to Clearway are:

- Ease of use and economy;
- Destroys blockages and constrictions due to fat, hair and organic deposits
- Effective cleaner and blockage remover.

Applications

This powerful cleaner is ideal for the removal of blockages and emergency cleaning of drains, etc. Clearway will remove a wide range of soils including grease, hair, oils and general dirt.

Compatibility

Clearway is based on powerful caustic components and as such will attack light alloys such as aluminium, zinc and their alloys.

Clearway may safely be used on steel and plastics and is compatible with all materials normally found in drain construction.



Certificate No. GB06/69741

Safer
Solutions
For Industry

Health and Safety

Clearway is classified as corrosive.

Users should avoid eye and skin contact and any spills should be washed away with copious amounts of water.

Diluted product is biodegradable.

See Safety Data Sheet for details.

Typical Properties

Appearance	Slightly hazy viscous liquid
Odour	Slight detergent odour
Density, g/cm ³ at 20 °C	1.30
Solubility in water	Completely miscible
pH	14.0 (Neat) 13.9 (10% solution) 13.0 (1% solution)

Storage life in original, unopened containers, at between 5 °C and 35 °C (41° to 95 °F), is not less than 36 months. Keep containers closed when not in use.

Directions for Use

Application:

Use direct from the container.

Apply sufficient quantity of Clearway to the drainage channel and allow time for it to penetrate, degrade and lift any blockage or dirt build-up.

Purge the drainage channel thoroughly with water to clear.

CONTACT DETAILS:

For UK and Rest of the World:

Amity International,
Libra House, West Street
Worsbrough Dale,
BARNSLEY
S YORKS, S70 5PG,
ENGLAND

Tel: +44 (0) 1226 770787
Fax: +44 (0) 1226 291936

E-mail: sales@amityinternational.com

Web site: www.amityinternational.com

For any further information, please contact your distributor or Amity.

In the event of any technical queries, please contact:
Mr. Ram Singh at the UK/ROW address, above, or by e-mail to:

rsingh@amityinternational.com

For North America:

Amity International,
PO Box 5254,
1704 Denver Road,
ANDERSON,
SOUTH CAROLINA,
SC29623, USA.

Tel: 864 622 2233
Fax: 864 622 2234

Packaging Details:

Clearway is available in:

- 5 Litre containers.

Special order provisions apply – minimum order quantity applies
Contact Sales for details